

Visitor NPH video door entry panel

FEATURES

- Anti-vandal BS316 stainless steel.
- Flush flanged, surface or, hooded surface for post mounting.
- Illuminated digital display.
- Large 15.6mm diameter braille embossed keypad buttons.
- Large 8mm high blue illuminated digits and characters.
- Voice output messages.
- · Visual icon messages.
- Visual display information messages.





CALLING PROCEDURE

Visitor enters flat number onto keypad and presses Bell button for immediate call.

Or

Visitor enters flat number onto keypad... system waits for a few seconds to make sure that visitor has stopped entering digits and then calls (no need to press Bell button, special feature for blind persons).

Or


Visitor selects using up/down arrows \uparrow ↓ and presses Bell button \triangle .

PROXIMITY KEYFOB READER FOR RESIDENTS

Visitor call-logging security feature (to comply fully with Secured By Design 2014 onwards requirements). Full audit trail of day, date, time and duration of all visitor calls to residents including door open authorisations to enable easy identification of any residents abusing the system.




Visitor NPH video door entry panel



VISUAL ICON MESSAGE VISUAL INFO MESSAGE VOICE OUTPUT MESSAGE CALLING CALLING PLEASE SPEAK PLEASE SPEAK DOOR IS OPEN DOOR IS OPEN

AGATA VIDEO DOOR ENTRY MONITOR HANDSET

With integral hearing aid induction loop for Equality Act 2010 (DDA) compliance.




When visitors call from the door entry panel, the video monitor handset will ring and display an image of your visitor. Pick up the handset to talk to them. If you want to let them in, press the lock release button. If you do not want to let them in then just hang up the handset.

4

PERLA VIDEO DOOR ENTRY MONITOR

With integral hearing aid induction loop for Equality Act 2010 (DDA) compliance.



Perla video monitor is also available in Black.

When visitors call from the visitor door entry panel, the video monitor will ring and display an image. Press the **Answer Call** / End Call button to talk to them.

Only press the Lock Release button if you want to let them in.

Press the Answer Call / **End Call** button to hang up. Your video monitor cannot accept another call until it has finished with the current call. If there is more than 1no visitor door entry panel on your building, **always** press the Answer Call / **End Call** button to hang-up



Secured By Design 2014 Compliant, Security Encrypted Proximity Key KCP4000 (Mifare Technology) for doors/gates, Radio transmitters for vehicle entry points

KCP4000 PROXIMITY KEYFOB

Front



Dimensions: 52mmL x 34mmW x 5mmD



Proximity reader for KCP4000 proximity keyfobs

TEL433 CODED RADIO TRANSMITTER



Please advise us of the unique number engraved on each of the TEL433 radio transmitters belonging to your household.



Dimensions: 63mmL x 40mmW x 12mmD

Battery: Panasonic CR2032

BUY ONLINE AT WWW.NACD.CO.UK

ORDERING INSTRUCTIONS

Please ensure when you place your order that you include the following:

- Your full name.
- Your full address including postcode.
- 3. The full delivery address including postcode. Proximity keys / radio transmitters are sent by 1st class recorded delivery and will need to be signed for.
- 4. Your contact telephone numbers.5. The name of your block/building.
- 6. The name of the management company or housing association (if known).
- 7. The number engraved on the proximity keyfob(s) / radio transmitters you already have.
- The cheque for the correct amount made payable to NACD Ltd or, if you wish to pay by credit card, please include a daytime telephone contact number.
- 9. Please send your order to:

NACD Ltd - Access Pass Dept., Unit 8, Heron Business Park, Eastman Way, Hemel Hempstead, Hertfordshire. HP2 7FW.

Your proximity key(s) / radio transmitters will be automatically programmed* into the relevant doors and gates as required for your development. Please contact us on 08700 333388 if you experience any problems. Thank you.

* Prices include remote programming via our Baticonnect Cloud system. Pre-2018 systems will not be latest technology Baticonnect Cloud. Prices will still include programming **BUT ONLY** if broadband services have been provided. If there is no broadband, each programming change requires a chargeable engineer callout with associated costs and response times subject to site location and engineer availability.

Email: fobs@nacd.co.uk



Notes



NACD Limited

Unit 8, Heron Business Park Eastman Way, Hemel Hempstead, Hertfordshire, HP2 7FW

MAINTENANCE TEL: 08700 33 33 88

FOBS TEL: 0843 497 7979 FAX: 01442 212776 WEB: www.nacd.co.uk

EMAIL: maintenance@nacd.co.uk

fobs@nacd.co.uk















