

IPGUARD MINI



REAL TIME



Anti-clone
Guarantee



Remote access



IPGUARD
SMART APP

AVAILABLE FOR DOWNLOAD



App Store



Google Play



KEY FEATURES...

- HD pinhole colour camera
- TFTP colour screen 2.9 inches
- Anti-vandal proximity reader, illuminated
- Integrated 4G modem antenna
- Robust 3mm dia aluminium facia
- Equality Act 2010 Compliant

4G/IP

VISITOR DOOR ENTRY

SPECIFICATIONS	SILVER ●	CHAMPAGNE ●	MATT BLACK ●
REFERENCES	TP4G-A	TP4G-D	TP4G-N
MECHANICAL CHARACTERISTICS			
Facia dimensions (HxWxD)	270 x 120 x 14 mm		
Backbox dimensions (HxWxD)	245 x 95 x 45 mm		
Weight	1200 g		
Material	Aluminium		
Finish	Brushed anodised - Silver	Brushed anodised - Champagne	Brushed anodised - Black
Protection rating	IK09 / IP54		
ELECTRICAL CHARACTERISTICS			
Power	12 V DC		
Consumption	2A max (whilst communicating via 4G)		
Relay	5 Amp NO/NC programmable		
Temperature	Operating -25°C to 70°C / Storage -40°C to 85°C		
FEATURES			
Colour camera	Pinhole hidden, angle of view H 60°, V 45°		
Screen	TFT colour 2.9"		
Proximity reader	Anti-vandal makrolon, illuminated		
Keypad	Large 15.6mm dia raised illuminated buttons, braille embossed		
Capacity	3000 names / flats		
Inputs	2 no		
Smartphone App	IPGUARD APP on Google Play (Android), App Store (APPLE)		
Programming	WWW.BATICONNECT.COM available 24/7/365 real time		
Advanced features	Customisable welcome screen – Backlight compensation – Proximity key & radio transmitter ANTI-CLONE guarantee – Smartphone access		



Champagne Surface



TP4G-D + BSD3

Champagne Flush



TP4G-D

Surface housing



BSD3

Silver Surface




TPG4G-A + BSA3

Silver Flush



TP4G-A



Special security tool to reach patented hidden security screw.



**ANTI CLONE
GUARANTEE**

Surface Housing



BSA3



24/7/365 REAL-TIME
CLOUD MANAGEMENT
baticonnect.com





WELCOME SCREEN



SCROLL SCREEN



DIRECT CALL SCREEN

Alternates every few seconds.



SEARCH SCREEN

Very useful in mixed residential/commercial, and gated sites with mix of house names and flat numbers.



DISPLAYS FLAT TO CALL



VISUAL INFORMATION IN ADDITION TO VOICE MESSAGE

Switches to green for Door Open, red for Denied.



24/7/365 REAL-TIME
CLOUD MANAGEMENT
baticonnect.com



IPGUARD MINI 4G/IP

TP4G-A	Silver
TP4G-D	Champagne
TP4G-N	Matt black


KIT, IPGUARD MINI 4G/IP + CONTROL UNIT (EVE196-X3) FOR PROXIMITY READER + REMOTE AERIAL (ZAN1055)

DTP4G-A	Silver
DTP4G-D	Champagne
DTP4G-N	Matt black

ACCESSORIES

PSU	AR125	12V-5A DIN rail
SURFACE BOXES	BSA3	Surface housing silver
	BSD3	Surface housing champagne
	BSN3	Surface housing matt black
SECURITY TOOL	ZVTE1050	Security tool
AERIAL	ZAN1055	Remote aerial including 5m cable
ROUTER	IGSM4G01	4G router, max distance 80 metres from panel using Class E (CAT6) U/UTP cable
EXTENSION CABLES *	ZCAB54-M	Cable for remote aerial (5 metres)
	ZCAB53-M	Cable for remote aerial (10 metres)
	ZCAB52-M	Cable for remote aerial (15 metres)

IPGUARD MINI 4G/IP SMART TECHNOLOGY



4G/IP

VISITOR DOOR ENTRY



ACCESS ■ COMMUNICATIONS ■ CCTV

+44 (0) 1442 211848
sales@nacd.co.uk

www.nacd.co.uk
f in nacdLtd

Unit 8, Heron Business Park, Eastman Way,
Hemel Hempstead, Hertfordshire, HP2 7FW



ANTI-CLONE
GUARANTEE



Police Preferred Specification