


IPGUARD MD-ANT345G AERIAL WITH FIXING BRACKET


Option 1

GSM Aerial connected directly to IPGUARD.



Option 2

GSM Aerial located on roof of building.



LEGEND


- A** Class E (CAT6) U/UTP x 4no + Earth 1.5mm² (6491X)
- B** 3-core 1.5mm² flex cable (3183Y)
- D** Class E (CAT6) U/UTP

* The MD-ANT345G aerial is also available with thicker cables as follows:
ZCAB54-M with 10 metres of 50 Ohm low loss communication coax cable.
ZCAB53-M with 15 metres of 50 Ohm low loss communication coax cable.
ZCAB52-M with 20 metres of 50 Ohm low loss communication coax cable.


IMPORTANT Please make sure you also have a copy of the NACD Full Legend document.

IPGUARD MD-ANT345G ANTENNA FOR BATICONNECT® PORTAL SERVICE



MD-ANT345G ANTENNA



STANDARD SMALL WALL/SOFFIT BRACKET



MD-ANTB-SEGX SE EXTENDED BRACKET



MD-ANTB-SEGX SE EXTENDED BRACKET



+44 (0)1442 211848
projects@nacd.co.uk

www.nacd.co.uk
f in nacdltd

NACD Ltd, Unit 8, Heron Business Park, Eastman Way,
Hemel Hempstead, Hertfordshire, HP2 7FW

24/7/365
www.baticonnect.com