

**Proximity reader & DDA compliant braille illuminated keypad, FLUSH**

Q N° 850RS

**EQUALITY ACT 2010 (DDA) COMPLIANT**



Hearing problems



Visual problems



Wheelchair users



Elderly, mobility problems



Arthritic



LPTRS (T25 format) Mifare Proximity Reader +  
DDA compliant braille illuminated keypad + 1FL housing.

- Buzzer audio for the visually impaired.

Keypad buttons:

- Tactile and raised for the arthritic.
- Large 15mm diameter for the arthritic and visually impaired.
- Audio beep when pressed for the visually impaired.
- Braille embossed for the blind.
- Illuminated 8mm height LED digit / characters for the visually impaired.

Dimensions mm: Facia and flange 160H x 143W  
Backbox 130H x 113W x 80D



**NOTES**

**LPTRS (T25 FORMAT) MIFARE PROXIMITY READER + MICAM17 KEYPAD + 1FL FLUSH FLANGED HOUSING, BS316 GRADE S.STEEL ANTI-VANDAL.**

Operate in conjunction with EVE196-X3-RS door control units, BATICONNECT Cloud.

**Proximity reader & DDA compliant braille illuminated keypad, SURFACE**

Q N° 852RS

**EQUALITY ACT 2010 (DDA) COMPLIANT**



Hearing problems



Visual problems



Wheelchair users



Elderly, mobility problems



Arthritic



LPTRS (T25 format) Mifare Proximity Reader +  
DDA compliant braille illuminated keypad + 1SL housing.

- Buzzer audio for the visually impaired.

Keypad buttons:

- Tactile and raised for the arthritic.
- Large 15mm diameter for the arthritic and visually impaired.
- Audio beep when pressed for the visually impaired.
- Braille embossed for the blind.
- Illuminated 8mm height LED digit / characters for the visually impaired.

Dimensions mm: 158H x 108W x 73D



**NOTES**

**LPTRS (T25 FORMAT) MIFARE PROXIMITY READER + MICAM17 KEYPAD + 1SL SURFACE HOUSING, BS316 GRADE S.STEEL ANTI-VANDAL.**

Operate in conjunction with EVE196-X3-RS door control units, BATICONNECT Cloud.

**Proximity reader & DDA compliant braille illuminated keypad, COMPLETE FACIA ONLY**

Q N° 854RS

**EQUALITY ACT 2010 (DDA) COMPLIANT**



Hearing problems



Visual problems




Wheelchair users



Elderly, mobility problems



Arthritic



**LPTRS (T25 format) Mifare Proximity Reader +  
DDA compliant braille illuminated keypad, complete facia only**

- Buzzer audio for the visually impaired.

Keypad buttons:

- Tactile and raised for the arthritic.
- Large 15mm diameter for the arthritic and visually impaired.
- Audio beep when pressed for the visually impaired.
- Braille embossed for the blind.
- Illuminated 8mm height LED digit / characters for the visually impaired.



**NOTES**

Cut-out: 128mmH x 94mmW  
Fixing centres: 140mm vertically on centre line  
to 3mm captive nuts centres

**LPTRS (T25 FORMAT) MIFARE PROXIMITY READER + MICAM17 KEYPAD,  
COMPLETE FACIA ONLY, BS316 GRADE S.STEEL ANTI-VANDAL.**

Operate in conjunction with EVE196-X3-RS door control units,  
BATICONNECT Cloud.

## Braille illuminated vandal resistant 12 button keypad



**KEYPAD HAS BRAILLE BUTTONS**



**KEYPAD IS ILLUMINATED**

### KEYPAD SPECIFICATIONS

Anti-vandal keypad	ZAMAK anti-vandal buttons chrome finish.
DDA compliance	Large buttons: 15.6 mm diameter. Braille tactile embossed. 8mm character height for digits and letters A and B. 2mm character height for alphanumeric phone letters: ABC, DED etc.
Backlight for DDA compliance	Blue LED with polished steel finish, brightness adjustable.
Life time	Resistance to friction finger and hand > 1 million actions Electrical and mechanical lifetime > 1 million actions Backlight > 10 years Resistant to chlorinated detergents, motor oils, vegetable fats. Waterproof: IP67 on front panel (IEC 60529) UV Resistance: IEC 68-2-5
Vandal protection	IK09, anti-pull and anti-draft keypad buttons
Temperature	Operating: -30° C to + 60° C Dry heat: 21 days at 85° C to IEC60512-6) Salt spray (IEC 60512-6)
Fire protection	UL94V0

### NOTES